

## Evkeeza™ (evinacumab-dgnb) (Intravenous)

Document Number: IC-0591

Last Review Date: 03/31/2023

Date of Origin: 03/01/2021

Dates Reviewed: 03/2021, 07/2021, 10/2021, 04/2022, 04/2023

### I. Length of Authorization

Coverage is provided for 3 months for initial approval and may be renewed every 12 months.

### II. Dosing Limits

#### A. Quantity Limit (max daily dose) [NDC Unit]:

- Evkeeza 345 mg/2.3 mL single-dose vial: 2 vials per 28 days
- Evkeeza 1200 mg/8 mL single-dose vial: 1 vial per 28 days

#### B. Max Units (per dose and over time) [HCPCS Unit]:

- 378 billable units (1890 mg) every 28 days

### III. Initial Approval Criteria <sup>1</sup>

Coverage is provided in the following conditions:

- Patient is at least 5 years of age; **AND**
- Baseline low-density lipoprotein cholesterol (LDL-C) labs must be obtained prior to initiating treatment (required for renewal); **AND**
- Patient does not have a diagnosis of heterozygous familial hypercholesterolemia (HeFH); **AND**

#### Universal Criteria

- Must be prescribed by, or in consultation with, a specialist in cardiology, lipidology, or endocrinology; **AND**
- Will not be used in combination with lomitapide; **AND**

#### Homozygous Familial Hypercholesterolemia (HoFH) † Φ <sup>1,3,5,6,11,12</sup>

- Patient has a confirmed diagnosis of Homozygous Familial Hypercholesterolemia (HoFH) by any of the following:
  - Confirmed DNA test for functional mutation(s) in LDL receptor alleles or alleles known to affect LDL receptor functionality; **OR**

- Untreated LDL-C > 500 mg/dL or treated LDL-C ≥ 300 mg/dL; **AND**
  - Cutaneous or tendon xanthoma before age 10 years; **OR**
  - Untreated LDL-C levels in both parents consistent with HeFH; **AND**
- Must be used as an adjunct to a low-fat or heart-healthy diet; **AND**
- Patient has been receiving stable background lipid lowering therapy for at least 4 weeks; **AND**
- Therapy will be used in conjunction with other LDL-lowering therapies (e.g., statins, ezetimibe, PCSK9 inhibitors, LDL apheresis); **AND**
- Patient has tried and failed at least a 3 month trial of adherent therapy with: ezetimibe used in combination with the highest available (or maximally tolerated\*) dose of atorvastatin **OR** rosuvastatin, unless contraindicated; **AND**
- Patient has tried and failed at least a 3 month trial of adherent therapy with: combination therapy consisting of the highest available (or maximally tolerated\*) dose of atorvastatin **OR** rosuvastatin, ezetimibe, **AND** a PCSK9 inhibitor indicated for HoFH (e.g., evolocumab), unless contraindicated; **AND**
- Despite pharmacological treatment, unless contraindicated, with a PCSK9 inhibitor, statin, and ezetimibe, the patient's LDL cholesterol ≥ 100 mg/dL (or ≥ 70 mg/dL for patients with clinical atherosclerotic cardiovascular disease [ASCVD])

† FDA Approved Indication(s); ‡ Compendia recommended indication(s); **Φ** Orphan Drug

\*If the patient is not able to use a maximum dose of atorvastatin or rosuvastatin due to muscle symptoms, a causal relationship must be established between statin use and muscle symptoms.

- Patient has evidence of pain, tenderness, stiffness, cramping, weakness, and/or fatigue and all of the following:
  - Muscle symptoms resolve after discontinuation of statin; **AND**
  - Muscle symptoms occurred when re-challenged at a lower dose of the same statin; **AND**
  - Muscle symptoms occurred after switching to an alternative statin; **AND**
  - Non-statin causes of muscle symptoms (e.g., hypothyroidism, reduced renal function, reduced hepatic function, rheumatologic disorders, such as polymyalgia rheumatica, steroid myopathy, vitamin D deficiency, or primary muscle disease) have been ruled out; **OR**
- The patient has been diagnosed with rhabdomyolysis associated with statin use
  - The diagnosis should be supported by acute neuromuscular illness or dark urine **AND** an acute elevation in creatine kinase (usually > 5,000 IU/L or 5 times the upper limit of normal [ULN])

#### IV. Renewal Criteria <sup>1,8</sup>

Coverage can be renewed based upon the following criteria:

- Patient continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Absence of unacceptable toxicity from therapy. Examples of unacceptable toxicity include: severe hypersensitivity reactions, etc.; **AND**

- Patient has had a reduction in LDL-C, when compared to the baseline labs (prior to initiating evinacumab); **AND**
- Patient continues to adhere to diet and background lipid lowering therapy (e.g., statin, ezetimibe, PCSK9-I, lomitapide, LDL apheresis)

## V. Dosage/Administration <sup>1</sup>

Indication	Dose
Homozygous Familial Hypercholesterolemia (HoFH)	<p>Administer 15 mg/kg as an intravenous (IV) infusion once monthly (every 4 weeks).</p> <ul style="list-style-type: none"> <li>• If a dose is missed, administer as soon as possible. Thereafter, Evkeeza should be scheduled monthly from the date of the last dose.</li> <li>• Assess LDL-C when clinically appropriate. The LDL-lowering effect of may be measured as early as 2 weeks after initiation.</li> </ul>

## VI. Billing Code/Availability Information

### HCPCS code:

- J1305 – Injection, evinacumab-dgnb, 5 mg; 1 billable unit = 5 mg

### NDC:

- Evkeeza 345 mg/2.3 mL (150 mg/mL) single-dose vial: 61755-0013-xx
- Evkeeza 1,200 mg/8 mL (150 mg/mL) single-dose vial: 61755-0010-xx

## VII. References

1. Evkeeza [package insert]. Tarrytown, NY; Regeneron, Inc.; March 2023. Accessed March 2023.
2. Mozaffarian D, et al. Heart disease and stroke statistics--2015 update: a report from the American Heart Association. *Circulation*. 2015 Jan 27;131(4):e29-322. doi: 10.1161/CIR.0000000000000152. Epub 2014 Dec 17.
3. Rosenson RS, Durrington P. (2022) Familial hypercholesterolemia in adults: Overview. In: Freeman MW, Parikh N (Eds). UpToDate. Last updated: Oct 17, 2022. Accessed March 21, 2023. Available from: [https://www.uptodate.com/contents/familial-hypercholesterolemia-in-adults-overview?search=Heterozygous%20Familial%20Hypercholesterolemia%20&source=search\\_result&selectedTitle=2~49&usage\\_type=default&display\\_rank=2](https://www.uptodate.com/contents/familial-hypercholesterolemia-in-adults-overview?search=Heterozygous%20Familial%20Hypercholesterolemia%20&source=search_result&selectedTitle=2~49&usage_type=default&display_rank=2).
4. Stone NJ, et al. 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*, 2014; 129(25 Suppl 2): S1–45.
5. Jacobson et al. National Lipid Association recommendations for patient-centered management of dyslipidemia: Part 1 – executive summary. *Journal of Clinical Lipidology*.

### EVKEEZA™ (evinacumab) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2023, Magellan Rx Management

2014. Available at: <http://www.sciencedirect.com/science/article/pii/S1933287414002748>. Accessed July 29, 2015.

6. Gidding SS, Champagne MA, de Ferranti SD, et al. The Agenda for Familial Hypercholesterolemia: A Scientific Statement From the American Heart Association. *Circulation*. 2015 Dec 1;132(22):2167-92. doi: 10.1161/CIR.0000000000000297.
7. Lloyd-Jones DM, Morris PB, Ballantyne CM, et al. 2017 Focused Update of the 2016 ACC Expert Consensus Decision Pathway on the Role of Non-Statin Therapies for LDL-Cholesterol Lowering in the Management of Atherosclerotic Cardiovascular Disease Risk: A Report of the American College of Cardiology Task Force on Expert Consensus Decision Pathways. *J Am Coll Cardiol*. 2017 Oct 3;70(14):1785-1822.
8. Grundy SM, Stone NJ, Bailey AL, et al. AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA Guideline on the Management of Blood Cholesterol: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2018;000:e1–e120. DOI: 10.1161/CIR.0000000000000625.
9. Jacobson TA, Ito MK, Maki KC, et al. National Lipid Association recommendations for patient-centered management of dyslipidemia: Part 1 – executive summary. *Journal of Clinical Lipidology*. 2014;8(5):473–488. DOI: 10.1016/j.jacl.2014.07.007.
10. Jacobson TA, Maki KC, Orringer C, et al. National Lipid Association Recommendations for Patient-Centered Management of Dyslipidemia: Part 2. *J Clin Lipidol*. 2015 Nov-Dec;9(6 Suppl):S1-122.e1. doi: 10.1016/j.jacl.2015.09.002.
11. Cuchel M, Bruckert E, Ginsberg HN, et al. Homozygous familial hypercholesterolaemia: new insights and guidance for clinicians to improve detection and clinical management. A position paper from the Consensus Panel on Familial Hypercholesterolaemia of the European Atherosclerosis Society. *Eur Heart J*. 2014 Aug 21;35(32):2146-57. doi: 10.1093/eurheartj/ehu274. Epub 2014 Jul 22
12. Raal FJ, Rosenson RS, Reeskamp et al; ELIPSE HoFH Investigators. Evinacumab for Homozygous Familial Hypercholesterolemia. *N Engl J Med*. 2020 Aug 20;383(8):711-720. doi: 10.1056/NEJMoa2004215.
13. Lloyd-Jones DM, Morris PB, Ballantyne CM, et al. 2022 ACC Expert Consensus Decision Pathway on the Role of Nonstatin Therapies for LDL-Cholesterol Lowering in the Management of Atherosclerotic Cardiovascular Disease Risk: A Report of the American College of Cardiology Solution Set Oversight Committee. *J Am Coll Cardiol*. 2022 Oct 4;80(14):1366-1418. doi: 10.1016/j.jacc.2022.07.006.

## Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
E78.00	Pure Hypercholesterolemia, unspecified
E78.01	Familial hypercholesterolemia

### EVKEEZA™ (evinacumab) Prior Auth Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

©2023, Magellan Rx Management

## Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determination (NCD), Local Coverage Determinations (LCDs), and Articles may exist and compliance with these policies is required where applicable. They can be found at: <https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications may be covered at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA, LLC
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA, LLC
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC

# PreferredOne Community Health Plan Nondiscrimination Notice

PreferredOne Community Health Plan (“PCHP”) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PCHP:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist  
PreferredOne Community Health Plan  
PO Box 59052  
Minneapolis, MN 55459-0052  
Phone: 1.800.940.5049 (TTY: 763.847.4013)  
Fax: 763.847.4010  
[customerservice@preferredone.com](mailto:customerservice@preferredone.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

## Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, taiaajiila qarqaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

ໂບດຊາບ: ຖ້າວ່າທ່ານເວົ້າພາສາລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສຍຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስማት ለተሳናቸው፡ 763.847.4013 ) .

ဟ်သ့ဟ်သး- နမၤကတိၤ ကသီၤ ကျိၣ်အယိၤ, နမၤန့ၣ် ကျိၣ်အတၢ်မၤစၢၤလၢ တလၢၣ်ဘျဉ်လၢၣ်စၢၤ နီၣ်တမံၤဘၣ်သ့န့ၣ်လီၤ. ကိး 1.800.940.5049 (TTY: 763.847.4013).

**ACHTUNG:** Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតល្បួល គឺអាចមានសំរាប់បំរើអ្នក។ ចរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013), 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).



## PreferredOne Insurance Company Nondiscrimination Notice

PreferredOne Insurance Company ("PIC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PIC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PIC:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PIC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist  
PreferredOne Insurance Company  
PO Box 59212  
Minneapolis, MN 55459-0212  
Phone: 1.800.940.5049 (TTY: 763.847.4013)  
Fax: 763.847.4010  
[customerservice@preferredone.com](mailto:customerservice@preferredone.com)

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services  
200 Independence Avenue, SW  
Room 509F, HHH Building  
Washington, D.C. 20201  
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

## Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

បំពេញ: ប្រសិនបើ អ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፡ በነጻ ሊያገኙበት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (ማስማት ለተሳናቸው: 763.847.4013) .

ဟံသာဝတီ: နမူနာတို့ ကညီ ကျိအသိ, နမူနာ ကျိအတိအကျတို့ တလက်ကွက်လက်စွာ နှိတ်မိသည့်သို့လိ။ ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013). 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).