

Department of Origin: Integrated Healthcare Services	Effective Date: 03/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 03/05/24
Clinical Policy Document: Pharmacogenetic Testing, CYP2C19 and CYP2D6 Genotyping	Replaces Effective Clinical Policy Dated: 03/07/23
Reference #: MC/L027	Page: 1 of 5

PURPOSE:

The intent of this clinical policy is to ensure services are medically necessary.

Please refer to the member's benefit document for specific information. To the extent there is any inconsistency between this policy and the terms of the member's benefit plan or certificate of coverage, the terms of the member's benefit plan document will govern.

POLICY:

Benefits must be available for health care services. Health care services must be ordered by a provider. Licensed Genetic Counselors may also order genetic tests if it is within the scope of practice of their state licensure. Health care services must be medically necessary, applicable conservative treatments must have been tried, and the most cost-effective alternative must be requested for coverage consideration.

GUIDELINES:

Medical Necessity Criteria – Requests for pharmacogenetic genotyping for CYP2C19 and CYP2D6 polymorphisms - Must satisfy all of the following: I, and any of II - IV

- I. After history, physical examination and completion of conventional diagnostic studies, a definitive diagnosis remains uncertain and a valid specific test exists for the suspected condition – as evidenced by all of the following: A – C
 - A. Each test has been approved for its intended use by the appropriate *regulatory/oversight body* (implies *analytic validity*); and
 - B. Each test has sufficient sensitivity or specificity (*clinical validity*) for targeting the member's specific clinical condition; and
 - C. The results of each test will directly impact clinical decision-making and clinical care (*clinical utility*) for the individual.

[Note: Genetic counseling is not required for well-defined populations.]
- II. The use of the test is to guide therapy decisions for antidepressant or antipsychotic medications - must satisfy all of the following: A - C
 - A. The member has a diagnosis of major depressive disorder (MDD) or generalized anxiety disorder (GAD); and
 - B. The member has failed at least one prior medication to treat their condition; and
 - C. If a multi-gene panel is requested, the panel has no more than 15 genes, two of which must be CYP2C19 and CYP2D6
- III. CYP2C19 genotyping is medically necessary to detect polymorphisms in members who are considering Plavix (clopidogrel)⁷.

Department of Origin: Integrated Healthcare Services	Effective Date: 03/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 03/05/24
Clinical Policy Document: Pharmacogenetic Testing, CYP2C19 and CYP2D6 Genotyping	Replaces Effective Clinical Policy Dated: 03/07/23
Reference #: MC/L027	Page: 2 of 5

- IV. CYP2D6 genotyping is medically necessary to detect polymorphisms for either of the following: A or B
- A. In members who have been prescribed treatment with Xenazine (tetrabenazine) in doses of greater than 50 mg per day⁸; or
 - B. In members who are considering Cerdelga (eliglustat) for the treatment of Gaucher disease type 1⁹.

EXCLUSIONS (not limited to):

Refer to member's Certificate of Coverage or Summary Plan Description

- I. CYP2C19 and CYP2D6 genotyping to detect polymorphisms for all other indications is considered investigative (see Investigative List)
- II. Direct-to-consumer testing

DEFINITIONS:

Analytic Validity:

How accurately and reliably the test measures the genotype of interest. A major component in the validation of an analytical technique is the technique's ability to accurately determine the presence of the substance it is seeking. It must measure the target substance without a great range of variation over a number of trials. The technique also must be proven to work reliably at multiple labs to be validated by this testing.

Clinical Utility:

The evidence of improved measurable clinical outcomes, and its usefulness and added value to patient management decision-making compared with current management without the testing.

Clinical Validity:

How consistently and accurately the test detects or predicts the intermediate or final outcomes of interest.

Cytochrome P450 (CYP450):

The cytochrome P450s (CYPs) are members of a superfamily of oxidative enzymes, which represent the major system for oxidative metabolism of therapeutic substances. Sequencing of the human genome has revealed 58 different human CYP genes, which encode various CYP isoenzymes. CYP enzyme activity can be affected by genetic and environmental factors. One of the more common environmental influences occurs through drug-drug interactions.

Epigenetic changes:

Affect genes without altering the gene sequence. This may occur via changes in gene methylation or histone modification (methylation, acetylation), either of which can influence the rate of transcription or silencing of gene expression. Other epigenetic changes include the alterations in noncoding RNAs and telomere length. These epigenetic changes can be passed on from parents to offspring but can also result from environmental influences on the epigenome. An example of an epigenetic change that affects drug metabolism is reduced sensitivity of a tumor to a chemotherapeutic drug due to gene methylation

Department of Origin: Integrated Healthcare Services	Effective Date: 03/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 03/05/24
Clinical Policy Document: Pharmacogenetic Testing, CYP2C19 and CYP2D6 Genotyping	Replaces Effective Clinical Policy Dated: 03/07/23
Reference #: MC/L027	Page: 3 of 5

Pharmacogenetics:

A subcategory of pharmacogenomics that refers to the role of genetic variation in response to a drug. Pharmacogenetics generally is used to refer to a specific DNA polymorphism or coding variant rather than epigenetic or transcriptomic changes across the genome. In practice, pharmacogenetics and pharmacogenomics are often used interchangeably.

Pharmacogenomics:

The role of various components of the genome on response to a drug. Among the most commonly studied are genetic sequence variants, structural changes in chromosomes (eg, translocations), epigenetic variants (eg, changes in gene methylation), and variation in the expression profile of genes (changes in messenger RNA [mRNA] levels) or noncoding RNA (eg, changes in microRNA). The genetic variation can be inherited through the germline or acquired (eg, somatic mutation in a tumor). The availability of high-throughput techniques to interrogate the entire genome has facilitated many pharmacogenomic studies.

BACKGROUND:

Pharmacogenomic influences on drug responses have traditionally been divided into four categories based upon the impact of genetic variability on the pharmacologic properties of a drug.

- Effect on drug pharmacokinetics; an example is a genetic variant that alters drug metabolism, affecting plasma concentration.
- Effects on pharmacodynamics; an example is a genetic variation that reduces binding of the drug to its receptor, thereby decreasing therapeutic efficacy.
- Effects on idiosyncratic reactions, such as the likelihood of a hypersensitivity reaction to a certain drug.
- Effects on disease pathogenesis or severity and response to specific therapies; these include specific molecular defects related to the pathogenesis of certain malignancies for which specific targeted therapies have been developed

Department of Origin: Integrated Healthcare Services	Effective Date: 03/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 03/05/24
Clinical Policy Document: Pharmacogenetic Testing, CYP2C19 and CYP2D6 Genotyping	Replaces Effective Clinical Policy Dated: 03/07/23
Reference #: MC/L027	Page: 4 of 5

Prior Authorization: Yes, per network provider agreement

CODING:

CPT®

CYP2C19

81225 CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg *2,*3,*4,*8,*17)

CYP2D6

81226 CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg *2,*3,*4,*5,*6,*9,*10,*17,*19,*29,*35,*41,*1XN,*2XN,*4XN)

0070U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, common and select rare variants (eg *2,*3,*4,*4N,*5,*6,*7,*8,*9,*10,*11,*12,*13,*14A,*14B,*15,*17,*29,*35,*36,*41,*57,*61,*63,*83,*xN)

0071U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, full gene sequence

0072U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, targeted sequence analysis (ie, CYP2D6-2D7 hybrid gene)

0073U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, targeted sequence analysis (ie, CYP2D6-2D6 hybrid gene)

0074U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, targeted sequence analysis (ie, non-duplicated gene when duplication/multiplication is trans)

0075U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, targeted sequence analysis (ie, 5' gene duplication/multiplication)

0076U CYP2D6 (cytochrome P450, family 2, subfamily A, polypeptide 6) (eg, drug metabolism), gene analysis, targeted sequence analysis (ie, 3' gene duplication/multiplication)

Panels

81418 Drug metabolism (eg, pharmacogenomics) genomic sequence analysis panel, must include testing of at least 6 genes, including CYP2C19, CYP2D6, and CYP2D6 duplication/deletion analysis

81479 When used for a panel that contains 15 genes or less

0029U Drug metabolism (adverse drug reactions and drug response), targeted sequence analysis (ie, CYP1A2, CYP2C19, CYP2C9, CYP2D6, CYP3A4, CYP3A5, CYP4F2, SLCO1B1, VKORC1, and rs12777823) <https://www.mayocliniclabs.com/test-catalog/overview/610057>

0173U Psychiatry (ie, depression, anxiety) genomic analysis panel, includes variant analysis of 14 genes (Psych HealthPGx Panel, RPRD Diagnostics) <https://www.rprdx.com/testing/psych/>

0175U Psychiatry (eg, depression, anxiety), genomic analysis panel, variant analysis of 15 genes (Genomind Professional PGx Express CORE) <https://www.genomind.com/products/core-anxiety-depression-report>

0345U Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder [ADHD]), genomic analysis panel, variant analysis of 15 genes, including deletion/duplication analysis of CYP2D6 (GeneSight Psychotropic)

0392U Drug metabolism (depression, anxiety, attention deficit hyperactivity disorder [ADHD]), gene-drug interactions, variant analysis of 16 genes, including deletion/duplication analysis of CYP2D6, reported as impact of gene-drug interaction for each drug

0411U Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder [ADHD]), genomic analysis panel, variant analysis of 15 genes, including deletion/duplication analysis of CYP2D6

0423U Psychiatry (eg, depression, anxiety), genomic analysis panel, including variant analysis of 26 genes, buccal swab, report including metabolizer status and risk of drug toxicity by condition

Department of Origin: Integrated Healthcare Services	Effective Date: 03/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 03/05/24
Clinical Policy Document: Pharmacogenetic Testing, CYP2C19 and CYP2D6 Genotyping	Replaces Effective Clinical Policy Dated: 03/07/23
Reference #: MC/L027	Page: 5 of 5

0438U Drug metabolism (adverse drug reactions and drug response), buccal specimen, gene-drug interactions, variant analysis of 33 genes, including deletion/duplication analysis of CYP2D6, including reported phenotypes and impacted gene-drug interactions

CPT codes copyright 2024 American Medical Association. All Rights Reserved. CPT is a trademark of the AMA. The AMA assumes no liability for the data contained herein

REFERENCES:

1. Integrated Healthcare Services Process Manual: UR015 Use of Medical Policy and Criteria
2. Medical Policy: Coverage Determination Guidelines (MP/C009)
3. Medical Policy: Pharmacogenetic/Pharmacogenomic Testing (MP/P013)
4. Clinical Pharmacogenetics Implementation Consortium -Genes-Drugs. Retrieved from: <https://cpicpgx.org/genes-drugs/> Accessed 12-27-23.
5. Rush AJ. Unipolar major depression in adults: choosing initial treatment. (Topic 1725 Version 87.0; 82-0; last updated 10/17/23). In: Solomon D, ed. UpToDate. Waltham, MASS.: UpToDate; 2021 www.uptodate.com. Accessed 12-27-23.
6. Murphy LE, Foneska TM, Bousman CA, Müller DJ. Gene-drug pairings for antidepressants and antipsychotics: level of evidence and clinical application. *Mol Psychiatry* 27,593-605 (2022). <https://doi.org/10.1038/s41380-021-01340-6>. Accessed 12-27-23.
7. Plavix [package insert]. Bridgewater, NJ: Bristol-Myers Squibb/Sanofi; 2022.
8. Xenazine [package insert]. Deerfield, IL: Lundbeck; 2017
9. Cerdelga [package insert]. Waterford, Ireland: Genzyme Ireland, Ltd.; 2018

DOCUMENT HISTORY:

Created Date: 12/30/21
Reviewed Date: 12/30/22, 12/26/23
Revised Date: 09/27/22, 10/24/22, 01/23/23, 07/31/23, 12/26/23

PreferredOne Community Health Plan Nondiscrimination Notice

PreferredOne Community Health Plan ("PCHP") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PCHP:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Community Health Plan
PO Box 59052
Minneapolis, MN 55459-0052
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

ໂບດຊາບ: ຖ້າວ່າທ່ານເວົ້າພາສາລາວ, ການບໍລິການຊ່ວຍເຫຼືອຕໍ່ພາສາ, ໂດຍບໍ່ເສຍຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስማት ለተሳናቸው፡ 763.847.4013) .

ဟ်သျှာ်ဟ်သး- နမံကတိ၊ ကညိ ကျိာ်အယံ၊ နမံကျိာ်အတိမၤစၢၤလၢ တလၢာ်ဘျၣ်လၢာ်စၢၤ နီတမံၤဘျၣ်သန့လီၤ. ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតល្បួល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013), 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).

PreferredOne Insurance Company Nondiscrimination Notice

PreferredOne Insurance Company ("PIC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PIC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PIC:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PIC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Insurance Company
PO Box 59212
Minneapolis, MN 55459-0212
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

បំពេញ: ប្រសិនបើ អ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013)។

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፡ በነጻ ሊያገኙበት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (ማስማት ለተሳናቸው: 763.847.4013)፡፡

ဟံသာဝတီ: နမူနာတို့ ကညီ ကျိအသိ, နမူနာ ကျိအတိအကျတို့ တလက်ကွက်လက်စွာ နှိတ်မိသည့်သို့လည်း ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013). 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).