

POLICY: Psychiatry – Zulresso[™] (brexanolone injection for intravenous use – Sage Therapeutics)

DATE REVIEWED: 05/13/2020

OVERVIEW

Zulresso, a neuroactive steroid gamma-aminobutyric acid (GABA) A receptor positive modulator, is indicated for the treatment of postpartum depression in adults.¹ Zulresso was approved under a priority review by the FDA and was granted a breakthrough therapy designation. The active ingredient of Zulresso, brexanolone, is chemically identical to endogenous allopregnanolone. Plasma concentrations of allopregnanolone increase during pregnancy and decrease substantially after childbirth in both rodents and humans, and fluctuations in allopregnanolone have demonstrated effects on anxiety and depression in animal models.² The mechanism of action of Zulresso is not fully understood but it has been shown to modulate GABA-mediated currents from recombinant human GABA_A receptors in mammalian cells expressing $\alpha_1\beta_2\gamma_2$, $\alpha_4\beta_3\delta$, and $\alpha_6\beta_3\delta$ receptor subunits.¹

The efficacy of Zulresso was established in two Phase III, US-only, randomized, double-blind, placebo-controlled, multicenter, pivotal studies in patients with moderate to severe postpartum depression initiating treatment within 6 months of delivery.² Zulresso is administered as a one-time, continuous intravenous (IV) infusion over 60 hours.¹

Disease Overview

Postpartum (or peripartum) depression is a major depressive episode with onset during pregnancy or within 4 weeks of delivery that can have serious effects on the maternal-infant bond and later infant development.³ Postpartum depression is estimated to affect 10% to 20% of women who give birth worldwide and occurs in low- to high-income countries.² Approximately 40% to 80% of cases of postpartum depression are considered moderate to severe. In the US, the estimated prevalence of postpartum depression in new mothers varies by state from 8% to 20%, with an overall prevalence of approximately 12%.

Postpartum depression is symptomatically indistinguishable from major depression.³ However, the timing of its onset has led to the acknowledgement of it potentially being a unique illness. As with other forms of depression, it is characterized by sadness and/or loss of interest in activities that one used to enjoy and a decreased ability to feel pleasure and may present with symptoms such as cognitive impairment, feelings of worthlessness or guilt, or suicidal ideation.⁴ Because of the risk of suicide, postpartum depression is considered a life-threatening condition.³

Abuse and Misuse

Zulresso is a CIV controlled substance.¹ In a human abuse potential study, 3% of volunteers administered Zulresso 90 mcg/kg and 13% of volunteers administered Zulresso 270 mcg/kg (three times the maximum recommended infusion rate) reported euphoric mood compared with no volunteers administered placebo over a 1 hour infusion.



Safety

Based on findings from animal studies of other drugs that enhance GABAergic inhibition, Zulresso may cause fetal harm.¹ Currently, there are no available data on Zulresso use in pregnant women to determine a drug-associated risk of major birth defects, miscarriage, or adverse maternal or fetal outcomes. A pregnancy exposure registry is available to monitor pregnancy outcomes in women exposed to antidepressants during pregnancy.

Zulresso has a Boxed Warning regarding excessive sedation and sudden loss of consciousness.¹ Because of the risk of serious harm, patients must be monitored for excessive sedation and sudden loss of consciousness and have continuous pulse oximetry monitoring. Patients must be accompanied during interactions with their children. During the infusion, patients must be monitored for sedative effects every 2 hours during planned, non-sleep periods. If there are signs or symptoms of excessive sedation, the infusion must be stopped immediately. After symptom resolution, the infusion may be restarted at the same or a lower dose.

Due to the risks of serious adverse events resulting from excessive sedation and sudden loss of consciousness, Zulresso is only available through a restricted distribution system under a REMS.^{1,5} The Zulresso REMS requires healthcare facilities be enrolled in the program and ensure that Zulresso is only administered to patients enrolled in the program. Pharmacies are required to be certified and can only dispense Zulresso to certified healthcare facilities. Patients must enroll in the program prior to administration of Zulresso. The REMS requires the prescriber and the patient sign the Patient Enrollment Form that clearly states that the patient understands the risk of excessive sedation and loss of consciousness associated with Zulresso. A healthcare provider must be available on site to monitor the patient for the duration of the infusion. Patients must be monitored for hypoxia using continuous pulse oximetry and for excessive sedation every 2 hours during planned, non-sleep periods.

POLICY STATEMENT

Prior authorization is recommended for prescription benefit coverage of Zulresso. Because of the specialized skills required for evaluation and diagnosis of patients treated with Zulresso as well as the monitoring required for adverse events and long-term efficacy, approval requires Zulresso to be prescribed by or in consultation with a physician who specializes in the condition being treated. All approvals are provided for the duration noted below. In cases where the approval is authorized in months, 1 month is equal to 30 days. Note that a 1-month (30 days) approval duration is applied to allow for the scheduling and administration of the one-time, 60-hour infusion of Zulresso.

Automation: None.

RECOMMENDED AUTHORIZATION CRITERIA

Coverage of Zulresso is recommended in those who meet the following criteria:

FDA-Approved Indications

1. **Postpartum Depression.** Approve for 1 month if the patient meets the following criteria (A, B, C, D, and E):
 - A) Patient is ≥ 18 years of age; AND
 - B) Patient has been diagnosed with moderate to severe depression; AND
 - C) Patient is ≤ 6 months postpartum; AND
 - D) Patient is not currently pregnant; AND



- E) Zulresso is being prescribed by, or in consultation with, a psychiatrist or an obstetrician-gynecologist.

CONDITIONS NOT RECOMMENDED FOR APPROVAL

Zulresso has not been shown to be effective, or there are limited or preliminary data or potential safety concerns that are not supportive of general approval for the following conditions. Rationale for non-coverage for these specific conditions is provided below. (Note: This is not an exhaustive list of Conditions Not Recommended for Approval.)

- 1. Previous Treatment with Zulresso During the Current Episode of Postpartum Depression.**
- Coverage is not recommended for circumstances not listed in the Recommended Authorization Criteria. Criteria will be updated as new published data are available.

REFERENCES

1. Zulresso™ injection for intravenous use [prescribing information]. Cambridge, MA: Sage Therapeutics; June 2019.
2. Meltzer-Brody S, Colquhoun H, Riesenber R, et al. Brexanolone injection in post-partum depression: two multicentre, double-blind, randomised, placebo-controlled, phase 3 trials. *Lancet*. 2018;392(10152):1058-1070.
3. FDA briefing document for Zulresso. Psychopharmacologic Drugs Advisory Committee (PDAC) and Drug Safety and Risk Management (DSaRM) Advisory Committee Meeting on November 2, 2018. Available at: <https://www.fda.gov/media/121345/download>. Accessed on May 8, 2020.
4. FDA News Release. FDA approves first treatment for post-partum depression. Published on March 19, 2019. Available at: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm633919.htm>. Accessed on May 8, 2020.
5. Food and Drug Administration. Zulresso Risk Evaluation and Mitigation Strategy (REMS). Last updated: December 13, 2019. Available at: <https://www.accessdata.fda.gov/scripts/cder/remis/index.cfm?event=IndvRemisDetails.page&REMS=387>. Accessed on May 8, 2020.

PreferredOne Community Health Plan Nondiscrimination Notice

PreferredOne Community Health Plan ("PCHP") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PCHP:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Community Health Plan
PO Box 59052
Minneapolis, MN 55459-0052
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສຍຄ່າ, ມີຢູ່ສະໄໝໃຫ້ທ່ານ. ໂທ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፡ በነጻ ሊያገዝዎት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስማት ለተሳናቸው: 763.847.4013) .

ဟံသာဝတီ- နမူနာတို့ ကညီ ကျိအသိ, နမူနာ ကျိအတိအကျတရား တလက်ကွက်လက်စွာ နှိတ်မံဘတ်သန့်လိ။ ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ជូរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013). 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).

PreferredOne Insurance Company Nondiscrimination Notice

PreferredOne Insurance Company ("PIC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PIC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PIC:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PIC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Insurance Company
PO Box 59212
Minneapolis, MN 55459-0212
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

បំពេញ: ប្រសិនបើ អ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፡ በነጻ ሊያገኙት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (ማስማት ለተሳናቸው: 763.847.4013) .

ဟံသာဝတီ: နမူနာတို့ ကညီ ကျိအသိ, နမူနာ ကျိအတိအကျတို့ တလက်ကွက်လက်စွာ နှိတ်ခံဘက်သို့လွှဲလိ။ ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013). 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).