

Department of Origin: Integrated Healthcare Services	Effective Date: 06/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/04/24
Clinical Policy Document: Cryoablation/Cryosurgery for Oncology Indications	Replaces Effective Clinical Policy Dated: 06/06/23
Reference #: MC/I007	Page: 1 of 5

PURPOSE:

The intent of this clinical policy is to ensure services are medically necessary.

Please refer to the member's benefit document for specific information. To the extent there is any inconsistency between this policy and the terms of the member's benefit plan or certificate of coverage, the terms of the member's benefit plan document will govern.

POLICY:

Benefits must be available for health care services. Health care services must be ordered by a provider. Health care services must be medically necessary, applicable conservative treatments must have been tried, and the most cost-effective alternative must be requested for coverage consideration.

GUIDELINES:

Medical Necessity Criteria – Must satisfy any of the following: I – VII

- I. Endobronchial obstruction of malignant origin with central airway occlusion.^{3,4,5,6}
- II. Hepatic metastases from neuroendocrine tumors^{9,10} – must satisfy all of the following: A - C
 - A. Member is a poor candidate for surgical resection (eg, due to location of the tumor/s and/or comorbid conditions); and
 - B. Symptoms are refractory to systemic therapy; and
 - C. All tumor foci can be adequately treated by cryoablation.
- III. Prostate cancer^{11,12,13,14,15,16} – must satisfy any of the following: A - C
 - A. Primary therapy – must satisfy both of the following: 1 and 2
 - 1. As an alternative to surgery or radiation therapy; and
 - 2. Prostate cancer is localized (clinical stage T1 or T2 [organ confined] or T3 [locally advanced]).
 - B. Salvage therapy after failure of radiation therapy as primary therapy – must satisfy all the following: 1 - 3
 - 1. Presence of *biochemical failure*; and
 - 2. Prostate-specific antigen (PSA) of less than 10ng/ml; and
 - 3. Life expectancy is greater than 10 years.
 - C. Palliative therapy for relief of lower urinary tract symptoms.
- IV. Renal mass or renal cell carcinoma^{17,18,19,24} – must satisfy one of the following: A - D
 - A. Tumor is less than or equal to 4cm/ stage T1a disease; or

Department of Origin: Integrated Healthcare Services	Effective Date: 06/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/04/24
Clinical Policy Document: Cryoablation/Cryosurgery for Oncology Indications	Replaces Effective Clinical Policy Dated: 06/06/23
Reference #: MC/I007	Page: 2 of 5

- B. Member is a poor candidate for surgery (eg, presence of renal insufficiency or a solitary kidney); or
 - C. Stage IV oligometastatic disease; or
 - D. Hereditary renal cell carcinoma from any of the following syndromes Birt-Hogg-Dube syndrome (BHDS), hereditary papillary renal carcinoma (HPRC), tuberous sclerosis complex (TSC), or von Hippel-Lindau (VHL).
- V. Bone metastases from renal cell carcinoma^{18,22,23} – must satisfy all of the following: A – C
- A. Member is a poor candidate for surgery; and
 - B. Located in multi-metastatic sites (lung, bone, or brain); and
 - C. One of the following: 1 or 2
 - 1. Member initially presented with primary renal cell carcinoma; or
 - 2. Member developed multi-metastases after a prolonged disease-free interval from nephrectomy.
- VI. Soft tissue sarcoma^{20,21} – must satisfy both of the following: A and B
- A. Located in the superficial trunk, extremity(ies), head, or neck; and
 - B. The tumor is classified as *Stage IV* - must satisfy any of the following: 1 or 2
 - 1. Primary tumor management or local recurrence where the disease is confined to a single organ with limited tumor bulk that is amenable to local therapy; or
 - 2. Palliative treatment for disseminated metastatic disease.
- VII. Desmoid tumors (aggressive fibromatosis)²⁰ - must satisfy both of the following: A and B
- A. Progressive, morbid, or symptomatic disease; and
 - B. Located in the abdominal wall, trunk, pelvis, extremity(ies), head, neck, or intrathoracic.

EXCLUSIONS (not limited to):

Refer to member's Certificate of Coverage or Summary Plan Description.

The following are considered investigative (see Investigative List): I - II

- I. Cryoablation for peripheral nerve damage in the lower extremity (includes use of iovera® system for knee osteoarthritis [OA]) - CPT 64640
- II. Cryoablation/cryosurgery for numerous indications

Department of Origin: Integrated Healthcare Services	Effective Date: 06/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/04/24
Clinical Policy Document: Cryoablation/Cryosurgery for Oncology Indications	Replaces Effective Clinical Policy Dated: 06/06/23
Reference #: MC/I007	Page: 3 of 5

DEFINITIONS:Biochemical Failure:¹¹

Prostate specific antigen (PSA) rise by 2ng/mL or more above the nadir PSA is the standard definition for biochemical failure after external beam radiation therapy (EBRT) with or without hormone (androgen) therapy.

Renal insufficiency:

Glomerular filtration rate of less than or equal to 60 ml/min/m²

Stage IV (Soft Tissue Sarcoma):²⁰

Any Primary Tumor (T) stage, any Regional Lymph Nodes (N) stage, with or without distant metastasis (M) and any Histologic Grade (G)

Department of Origin: Integrated Healthcare Services	Effective Date: 06/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/04/24
Clinical Policy Document: Cryoablation/Cryosurgery for Oncology Indications	Replaces Effective Clinical Policy Dated: 06/06/23
Reference #: MC/I007	Page: 4 of 5

Prior Authorization: Yes, per network provider agreement.

CODING:

CPT®

- 20983 Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; cryoablation
- 31641 Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with destruction of tumor or relief of stenosis by any method other than excision (eg, laser therapy, cryotherapy)
- 47371 Laparoscopy, surgical ablation of 1 or more liver tumor(s); cryosurgical
- 47381 Ablation, open, of 1 or more liver tumor(s); cryosurgical
- 47383 Ablation, 1 or more liver tumor(s), percutaneous; cryoablation
- 50250 Ablation, open, 1 or more renal mass lesion(s), cryosurgical, including intraoperative ultrasound guidance and monitoring, if performed
- 50593 Ablation, renal tumor(s), unilateral, percutaneous, cryotherapy
- 55873 Cryosurgical ablation of the prostate (includes ultrasonic guidance and monitoring)

CPT codes copyright 2024 American Medical Association. All Rights Reserved. CPT is a trademark of the AMA. The AMA assumes no liability for the data contained herein.

REFERENCES:

1. Integrated Healthcare Services Process Manual: UR015 Use of Medical Policy and Criteria
2. Clinical Policy: Coverage Determination Guidelines (MP/C009)
3. National Comprehensive Cancer Network (NCCN) Guidelines. Non-Small Cell Lung Cancer. NSCL-D. Version 5.2024, 04/23/24. Accessed 05-01-24.
4. National Institutes for Health and Clinical Excellence (NICE). Cryotherapy for malignant endobronchial obstruction. 2005. Retrieved from <https://www.nice.org.uk/guidance/ipg142>.
5. Colt HG. Bronchoscopic cryotechniques in adults. (Topic: 4407, Version 38.0; last updated: 12-07-23) In: Finlay G, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2020. www.uptodate.com. Accessed 05-01-24.
6. Thomas CF, Jett JR, Strosberg JR. Lung neuroendocrine (carcinoid) tumors: Treatment and prognosis. (Topic: 85914, Version: 39.0; last updated: 12-20-22) In: Savarese DMF, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2021. www.uptodate.com. Accessed 05-01-24.
7. National Comprehensive Cancer Network (NCCN) Guidelines. Hepatocellular Carcinoma. HCC-G. Version 1.2024, 04-09-24) Accessed 05-01-24.
8. Curley SA, Stuart KE, Schwartz JM, Carithers RL. Localized hepatocellular carcinoma: Liver-directed therapies for nonsurgical candidates who are eligible for local ablation. (Topic: 2487, Version: 58.0; last updated: 09-16-22) In: Savarese DMF, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2020. www.uptodate.com. Accessed 05-01-24.
9. National Comprehensive Cancer Network (NCCN) Guidelines. Neuroendocrine and Adrenal Tumors. NE-I, MS-15. Version 1.2023, 08/02/23. Accessed 05-01-24.
10. Chan JA, Kulka M, Clancy TE. Metastatic gastroenteropancreatic neuroendocrine tumors: local options to control tumor growth and symptoms of hormone hypersecretion. (Topic: 16105, Version: 56.0; last updated: 08-31-22) In: Savarese DMF, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2019. www.uptodate.com. Accessed 05-01-24.
11. National Comprehensive Cancer Network (NCCN) Guidelines. Prostate Cancer. PROS-K, MS-35-36. Version 3.2024, 03/08/24) Accessed 05-01-24.

Department of Origin: Integrated Healthcare Services	Effective Date: 06/05/24
Approved by: Medical Policy Quality Management Subcommittee	Date Approved: 06/04/24
Clinical Policy Document: Cryoablation/Cryosurgery for Oncology Indications	Replaces Effective Clinical Policy Dated: 06/06/23
Reference #: MC/I007	Page: 5 of 5

12. Pisters LL, Spiess PE. Cryotherapy and other ablative techniques for the initial treatment of prostate cancer. (Topic: 6930, Version: 45.0; last updated: 11-23-22) In: Savarese DMF, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2020. www.uptodate.com. Accessed 05-01-24.
13. Moul JW. Rising serum PSA after radiation therapy for localized prostate cancer: Salvage local therapy. (Topic: 6932, Version: 39.0; last updated: 07-05-22) In: Savarese DMF, eds. *UpToDate*. Waltham, Mass.: UpToDate; 2021. www.uptodate.com. Accessed 05-01-24.
14. Chin JF, Al-Zahrani AA, Autran-Gomez AM, Williams AK, Bauman G. Extended follow-up oncologic outcome of randomized trial between cryoablation and external beam therapy for locally advanced prostate cancer (T2c-T3b). *J Urol*. 2012 Oct;188(4):1170-5. doi: 10.1016/j.juro.2012.06.014
15. Finley DS, Beddegrun AS. Salvage cryotherapy for radiation-recurrent prostate cancer: outcomes and complications. *Curr Urol Rep*. 2011 Jun;12(3):209-15. doi: 10.1007/s11934-011-0182-4
16. Ng CK, Moussa M, Downey DB, Chin JL. Salvage cryoablation of the prostate: follow-up and analysis of predictive factors for outcome. *J Urol*. 2007 Oct;178(4 Pt 1):1253-7; discussion 1257.
17. National Comprehensive Cancer Network (NCCN) Guidelines. Kidney Cancer. KID-1, KID-3, KID-A, ST-1, HERED-RCC-C. Version 3.2024, 03/11/24) Accessed 05-01-24.
18. Hines A, Goldberg, SN. Radiofrequency ablation, cryoablation, and other ablative techniques for renal cell carcinoma. (Topic: 3001, Version: 30.0; last updated: 02-01-24) In: Shah S, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2020. www.uptodate.com. Accessed 05-01-24.
19. National Institute for Health and Clinical Excellence (NICE). Percutaneous cryotherapy for renal cancer. Interventional Procedure Guidance 402. London, UK: NICE; July 2011. Available at: <https://www.nice.org.uk/guidance/ipg402>.
20. National Comprehensive Cancer Network (NCCN). Soft Tissue Sarcoma. DESM-4, SARC-F, EXTSARC-5, EXTSARC-6. Version 1.2024, 04/26/24. Accessed 05-01-24.
21. Raut CP, George S, Demetri GD. Surgical treatment and other localized therapy for metastatic soft tissue sarcoma. (Topic: 7738, Version: 35.0; last updated: 10-10-23) In: Shah S, Collins KA, eds. *UpToDate*. Waltham, Mass.: UpToDate; 2021. www.uptodate.com. Accessed 05-01-24.
22. Gardner CS, Ensor JE, Huang SY, et al. Cryoablation of Bone Metastases from Renal Cell Carcinoma for Local Tumor Control. *J Bone Joint Surg Am* 2017 Nov 15;99(22):1916-1926.
23. Jennings JW, Prologo JD, Garnon J, et al. Cryoablation for Palliation of Painful Bone Metastases: The MOTION Multicenter Study. *Radiol Imaging Cancer* 2021 Feb 12;3(2):e200101.
24. Pierorazio PM, Campbell SC. Diagnostic approach, differential diagnosis, and management of a small renal mass. (Topic: 2970, Version: 44.0; last updated: 09-07-23) In: Shah S, ed. *UpToDate*. Waltham, Mass.: UpToDate; 2023. www.uptodate.com. Accessed 05-01-24.

DOCUMENT HISTORY:

Created Date: 04/30/12
Reviewed Date: 04/30/13, 04/14/14, 04/14/15, 04/14/16, 04/04/17, 04/04/18, 04/04/19, 03/26/20, 03/26/21, 03/21/22, 03/21/23, 03/20/24
Revised Date: 04/30/13, 04/14/14, 04/21/15, 05/17/17, 12/11/17, 04/23/18, 04/22/19, 03/26/20, 05/06/22, 04/06/23, 05/02/24

PreferredOne Community Health Plan Nondiscrimination Notice

PreferredOne Community Health Plan ("PCHP") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PCHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PCHP:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PCHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Community Health Plan
PO Box 59052
Minneapolis, MN 55459-0052
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

ໂບດຊາບ: ຖ້າວ່າທ່ານເວົ້າພາສາລາວ, ການບໍລິການຊ່ວຍເຫຼືອຕໍ່ພາສາ, ໂດຍບໍ່ເສຍຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (መስማት ለተሳናቸው፡ 763.847.4013) .

ဟ်သ့ဟ်သး- နမံကတိ၊ ကညိ ကျိာ်အယံ၊ နမံကျိာ်အတိမၤစၢလၢ တလၢာ်ဘျဉ်လၢာ်စၢ နီတမံဘျဉ်သန့လီၤ. ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន៖ បើសិនជាអ្នកនិយាយ ភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតល្បួល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1.800.940.5049 (TTY: 763.847.4013)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013), 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).

PreferredOne Insurance Company Nondiscrimination Notice

PreferredOne Insurance Company ("PIC") complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PIC does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PIC:

Provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact a Grievance Specialist.

If you believe that PIC has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Grievance Specialist
PreferredOne Insurance Company
PO Box 59212
Minneapolis, MN 55459-0212
Phone: 1.800.940.5049 (TTY: 763.847.4013)
Fax: 763.847.4010
customerservice@preferredone.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, a Grievance Specialist is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Language Assistance Services

ATTENTION: If you do not speak English, language assistance services, free of charge, are available to you. Call 1.800.940.5049 (TTY: 763.847.4013).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1.800.940.5049 (TTY: 763.847.4013).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1.800.940.5049 (TTY: 763.847.4013).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 1.800.940.5049 (TTY: 763.847.4013).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1.800.940.5049 (TTY: 763.847.4013).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1.800.940.5049 (TTY: 763.847.4013)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1.800.940.5049 (телетайп: 763.847.4013).

បំពេញ: ប្រសិនបើ អ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፡ በነጻ ሊያገኙበት ተዘጋጅተዋል፡ ወደ ሚከተለው ቁጥር ይደውሉ 1.800.940.5049 (ማስማት ለተሳናቸው: 763.847.4013) .

ဟံသာဝတီ: နမူနာတို့ ကညီ ကျိန်အယိ, နမူနာ ကျိန်အတိအကျတို့ တလက်တလက်စွာ နှိပ်စက်သွန်သိလိမ့်။ ကိ: 1.800.940.5049 (TTY: 763.847.4013).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1.800.940.5049 (TTY: 763.847.4013).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយភាសា ដោយមិនគិតថ្លៃ គឺអាចមានសំរាប់អ្នក។ ហៅ 1.800.940.5049 (TTY: 763.847.4013).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1.800.940.5049 (رقم هاتف الصم والبكم: 763.847.4013).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1.800.940.5049 (TTY: 763.847.4013).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1.800.940.5049 (TTY: 763.847.4013). 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1.800.940.5049 (TTY: 763.847.4013).